## スタンダードタイプ

規格サイズ別 格子本数一覧 ※規格サイズの有無はサッシ各シリーズの設定をご確認ください。商品によっては製作できない場合があります。

複層ガラスシリーズカタログ SL6400 -01 付属資料 2020年12月 改訂

対象	シリーフ	ズ①:サーモ	ZX、!	サーモ	スⅡ-⊦	t、サ	ナーモスL																	2020年12月	改訂
	違い窓																							ス	タンダードタイプ-①
	<del>U</del>	呼称幅	060	069	074	078	8 080	083	114	119	128	133	150	160	165	174	176	178	18	0 183	186	251	256	251	256
呼称高	ッシ	サッシW	640	730	780	820	0 845	870	1,185	1,235	1,320	1,370	1,540	1,640	1,690	1,780	1,800	1,820	1,8	45 1,87	1,900	2,550	2,600	2,550	2,600
	Н	縦格子本数 横格子本数			1(障子	效数:	2)			2 (🏻	章子枚数	: 2)					3(障子	枚数:2)		•		5(障子村	效:2)注	2(障	子枚数:4)
03	370																								
05	570	1																							
07	770																								
09	970	2																							
11	1,170	_								H															
13	1,370	3																							
15	1,570	4																							
																						注:サーモスX 251サイズは縦	格子4本になります。		
呼	<del>U</del>	呼称幅	119	133	150	160	0 165	174	176	178	180	183	186		243			251				256			
称高	ッ シ H	サッシW 縦格子本数	1,235	1,370	1,540	1,64	1,690	1,780	1,800	1,820	1,845	1,870	1,900		2,470			2,550				2,600			
		横格子本数	2 (🏻	章子枚数	: 2)				3(障子枚	数:2)					4	4(障子	枚数:2)				5	5(障子枚数:2)注			
18	1,830	. 5																							
20	2,030																								
22	2,230	6																							

注	204=57	(24	Λ \/-	167	<1.75	=מי	- at

7注

2,430

24

注:サーモスX	256サイズは4本になります。

	Ħ	呼称幅	243	251	256	347
呼称高	ッシ	サッシW	2,470	2,550	2,600	3,510
	Н	縦格子本数 横格子本数		2(障子枚数:4)		3(障子枚数:4)
18	1,830	5				
20	2,030	3				
22	2,230	6				
24	2,430	7				

***		山し心 (ハイ		, ,				
	ħ	呼称幅	021	023	026	031	036	060
呼称高	ツ シ	サッシW	250	275	300	350	405	640
	Н	縦格子本数 横格子本数	0:	注		1		2
07	770	2	F					
09	970	_						
11	1,170	3		}				
13	1,370	3						
15	1,570	4						
18	1,870	5						
20	2,070	6						
22	2,270							

	Ħ	呼称幅	026	031	036	041	060	069	074	096	119
呼 称 高	ツ シ	サッシW	300	350	405	450	640	730	780	1,000	1,235
	Н	縦格子本数 横格子本数			1			2		3	4
023	300										
028	350										
03	370										
033	405	1					E				
038	450										
05	570										
057	640										
07	770										
09	970	2									
093	1,000								1		
116	1,235	3									

#### 注:サーモスX 023サイズは1本になります。

### <FIX窓(内押し縁タイプ・マド)>

	+	呼称幅	016	021	023	026	031	036	041	060	069	074	096	114	119	160	165
呼 称 高	サッシ	サッシW	200	250	275	300	350	405	450	640	730	780	1,000	1,185	1,235	1,640	1,690
	Н	縦格子本数 横格子本数		0			:	l			2		3	4	4		6
018	250	0								[							
023	300																
028	350																
03	370																
033	405	1															
038	450																
05	570																
057	640																
07	770											1					
09	970	2															
093	1,000																
11	1,170										]						
116	1,235	. 3															
13	1370											1					
15	1,570	4															
				Я													
18M	1,870	5															
												<u> </u>					
20M	2,070																
		6															
22M	2,270																

#### <上げ下げ窓>

	++	呼称幅	026	036	060	069	074
呼 称 高	サッシ	サッシW	300	405	640	730	780
	Н	縦格子本数 横格子本数	1	注		2	
07	770						
09	970				ī		
11	1,170	1					
13	1,370				ļ		
15	1,570						
			24 . 44 . 7				

注:サーモスX W026サイズは0本になります。

## ✓ トげ下げ空(均等割り)>

<上け	下げ窓	(均等割り))	>				
	+	呼称幅	026	036	060	069	074
称高	サッシ	サッシW	300	405	640	730	780
	Н	縦格子本数 横格子本数	1	注		2	
07	770						
09	970	1					
11	1,170	1					
13	1,370						
15	1,570	2					

注: サーモスX W026サイズは0本になります。

スタンダードタイプ-③

#### <引違い窓>

	Ħ	呼称幅	069	074	114	119	133	150	160	165	183	256	256
称高	ッシ	サッシW	Z		1,185	1,235	1,370	1,540	1,640	1,690	1,870	2,600	2,600
	Н	縦格子本数 横格子本数	1(障子枚数:2)		: 2)		2 (1)	章子枚数:	: 2)		3(障子枚数:2)	4(障子枚数:2)	2(障子枚数:4)
05	570	1	1 (障子枚数:2)				П		П				
07	770	1											
09	970	2											
11	1,170	2											
13	1,370	3											
15	1,570	4											

	Ħ	呼称幅	150	160	165	183	256	256	347	
称高	ッシ	サッシW	1,540	2 (障子枚数:2)		1,870	2,600	2,600	3,510	
	Н	縦格子本数 横格子本数	2 (	障子枚数	: 2)	3(障子枚数:2)	4(障子枚数:2)	2(障子枚数:4)	3(障子枚数:4)	
18	1,830	5								
20	2,030	5	5							
22	2,230	6								

# <縦すべり出し窓>

									,									
	<del>y</del>	呼称幅	026	036	046	060	069	074			Ħ	呼称幅	026	036	046	060	069	074
呼 称 高	ッシ	サッシW	300	400	500	640	730	780		呼 称 高	ッシ	サッシW	300	405	500	640	730	780
	Н	縦格子本数 横格子本数	0	1			2				Н	縦格子本数 横格子本数	0		1		2	
05	570	1						]		023	300	0						]
07	770							]		033	405							
09	070	2	П							043	500							
09	970	2								05	570	1						
11	1,170	2	H						07	770								
13	1,370	3								970	2							
15	1,570	4								09	970	2						
18	1,870	. 5																
20	2,070	3																
22	2,270	6																

### <横すべり出し窓>

呼 称 高	サッシ	呼称幅	026	036	046	060	069	074
		サッシW	300	405	500	640	730	780
	Н	縦格子本数 横格子本数	0	:	1		2	
023	300	0				[		]
033	405							
043	500	1						
05	570	_						
07	770							
09	970	2						

<FIX窓> <上げ下げ窓> <Aタンダードタイプ-④

		呼称幅	021	026	036	046	060	069	074	119	160	165														
呼称	サッ シ H	サッシW	250	300	400	500	640	730	780	1,235	1,640	1,690														
高		縦格子本数 横格子本数	0		1		2			4	6															
018	250	0																								
023	300																									
033	400		В																							
043	500	1																								
05	570																									
07	770																									
09	970	2																								
11	1,170	- 3																								
13	1370																									
15	1,570	4																								
18	1,870	5																								
20	2,070	J																								
22	2,270	6																								

	サッシ シ H	呼称幅	046	060	069	074	
称高		サッシW	500	640	730	780	
		縦格子本数 横格子本数	1		2		
09	970						
11	1,170	1					
13	1,370						