ワイドタイプ

規格サイズ別 格子本数一覧 ※規格サイズの有無はサッシ各シリーズの設定をご確認ください。商品によっては製作できない場合があります。

複層がラスシリーズカタログ SL6400 -01 付属資料 2020年12月 改訂

対象シリーズ①: サーモスX、サーモス II -H、サーモスL

く引違い窓> ワイドタイプ-①

| | Ħ | 呼称幅 | 060 | 069 | 074 | 078 | 080 | 083 | 114 | 119 | 128 | 133 | 150 | 50 160 | 165 | 174 | 176 | 178 | 180 | 183 | 186 | 251 | 256 | 251 | 256 |
|-------------|--------|----------------|-----|-----|-----|-----|-------|------|-------|-------|-------|-------|------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 呼 称 高 | ッシ | サッシW | 640 | 730 | 780 | 820 | 845 | 870 | 1,185 | 1,235 | 1,320 | 1,370 | 1,54 | 540 1,640 | 1,690 | 1,780 | 1,800 | 1,820 | 1,845 | 1,870 | 1,900 | 2,550 | 2,600 | 2,550 | 2,600 |
| | Н | 縦格子本数 横格子本数 | | | | | | | | | 1 (月 | 章子枚数 | : 2) | | | | | | | | | 2(障子村 | 欠数:2) | 1(障子 | 枚数:4) |
| 03 | 370 | | | | | | | | | | | | | | | | | | | | | | | | |
| 05 | 570 | 1 | | | | | | | | | | + | | | | | | | | | | | | | |
| 07 | 770 | | | | | | | | | | ' | | | | | | | | | | | | | | |
| 09 | 970 | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | 1,170 | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| 13 | 1,370 | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 | 1,570 | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | | 呼称幅 | 119 | 133 | 150 | 160 | 165 | 174 | 176 | 178 | 180 | 183 | 186 | 36 | 251 | | | 256 | | 24 | 13 | 251 | 256 | 347 | |
| 呼 称 | サッ | サッシW | | | | | 1,690 | | | | | | | | 2,550 | | | 2,600 | | 2,4 | | 2,550 | 2,600 | 3,510 | |
| 高 | シ H | 縦格子本数 | • | | | | | 章子枚数 | | | | | | | | 2(障子村 | 汝数:2) | | | | | 1(障子 | 欠数:4) | | |
| 18 | 1,830 | 横格子本数 | | | | | | | | | | | | | | | | | | | | | | | |
| 20 | 2,030 | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| 22 | 2,230 | 7 | | | | | | | | | | | | | | | | | | | | | | | |
| 24 | 2,430 | 5 | | | | | | | | | | | | | | | | | | | | | | | |

| | Ħ | 呼称幅 | 021 | 023 | 026 | 031 | 036 | 060 | | ħ | 呼称幅 | 026 | 031 | 036 | 041 | 060 | 069 | 074 | |
|-------------|--------|----------------|-----|-----|----------|-----|-----|-----|-------|--------|----------------|--------|--------|-------|--------|-----|-----|-----|--|
| 呼 称 高 | ツ シ | サッシW | 250 | 275 | 300 | 350 | 405 | 640 | 呼 称 高 | ツ シ | サッシW | 300 | 350 | 405 | 450 | 640 | 730 | 780 | |
| | Н | 縦格子本数 横格子本数 | | | 1 | 注 | | | | Н | 縦格子本数 横格子本数 | | | | 1 | | | | |
| 07 | 770 | | | | | | | | 023 | 300 | | | | | | | | | |
| 0, | 770 | | | | | | | | 028 | 350 | | | | | | | | | |
| 09 | 970 | | | | | | | | 03 | 370 | | | | | | | | | |
| 11 | 1,170 | 2 | | | | | | | 033 | 405 | 1注 | | | | | | | | |
| 13 | 1,370 | | | | Ш | | | | 038 | 450 | 1 7 | | | | | _ | | | |
| 15 | 1,570 | | | | | | | | 05 | 570 | | | | | | | | | |
| 15 | 1,370 | 3 | | | | | | | 057 | 640 | | | | | | | | | |
| 18 | 1,870 | 3 | | | | | | | 07 | 770 | | | | | | | | | |
| 16 | 1,870 | | | | ш | | | | 09 | 970 | | | | | | 7 | | | |
| 20 | 2,070 | | | | | | | | 093 | 1,000 | 2 | | | | | | | | |
| 20 | 2,070 | 4 | | | | | | | 116 | 1,235 | | | | | | _ | | | |
| 22 | 2,270 | 4 | | | | | | | | | 注:サーモスII-H/L | カムラッチの | H023サイ | ズは横格っ | 子0本になり | ます。 | | | |
| 22 | 2,270 | | | | よサーモス II | | | | | | | | | | | | | | |

注2:サーモスII-H/LカムラッチはW031以上で縦格子1本になります。

<FIX窓>

| | Ħ | 呼称幅 | 016 | 021 | 023 | 026 | 031 | 036 | 041 | 060 | 069 | 074 | 096 | 114 | 119 | 160 | 165 | | | | |
|-----|-------|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|--|--|--|--|
| 呼称高 | ッシ | サッシW | 200 | 250 | 275 | 300 | 350 | 405 | 450 | 640 | 730 | 780 | 1,000 | 1,185 | 1,235 | 1,640 | 1,690 | | | | |
| | Ħ | 縦格子本数 横格子本数 | 0 | | | | | 1注 | | | | | | 2 | | | 3 | | | | |
| 018 | 250 | | | | | | | | | | | | | | | | | | | | |
| 023 | 300 | | | | | | | | | | | | | | | | | | | | |
| 028 | 350 | | | | | | | | | | | | | | | | | | | | |
| 03 | 370 | | | | | | Г | | | | | | | | _ | | | | | | |
| 033 | 405 | 1 注 | | | | | | | | | | | | | | | | | | | |
| 038 | 450 | | | | | | | | | | | | | • | | | | | | | |
| 05 | 570 | | | | | | | | | | | | | | | | | | | | |
| 057 | 640 | | | | | | | | | | | | | | | | | | | | |
| 07 | 770 | | | | | | | | | | | | | | | | | | | | |
| 09 | 970 | | | | | | | | | | | | | | | | | | | | |
| 093 | 1,000 | | | | | | Γ | |] | | | | Г | | | | | | | | |
| 11 | 1,170 | 2 | | | | | F | | | | | | | | | | | | | | |
| 116 | 1,235 | | | | | | L | | ļ | | | | | | _ | | | | | | |
| 13 | 1370 | | | | | | | | | | | | | | | | | | | | |
| 15 | 1,570 | | | | | | | | | | | | | | | | | | | | |
| 18M | 1,870 | 3 | | | | | | | | | | | | | | | | | | | |
| 20M | 2,070 | 4 | | | | | | | | | | | | | | | | | | | |
| 22M | 2,270 | 4 | 4 | 4 | 4 | 4 | | | | | | | | | | | | | | | |

<上げ下げ窓>

096

1,000

2

119

1,235

| | ザッ | 呼称幅 | 026 | 036 | 060 | 069 | 074 |
|-------------|-------|----------------|-----|--------|-----|--------|-----|
| 呼 称 高 | シ | サッシW | 300 | 405 | 640 | 730 | 780 |
| | Н | 縦格子本数 横格子本数 | | | 1 | | |
| 07 | 770 | | | | | | |
| 09 | 970 | | | | | | |
| 11 | 1,170 | 1 | | l I | |]] | |
| 13 | 1,370 | | | [| | | |
| 15 | 1,570 | | | | | | |

ワイドタイプ-③

| , , , , , , , | - | | _ |
|---------------|---|------|---|
| | | | |
| | | | |
| | | | |

<引違い窓>

| | Ħ | 呼称幅 | 069 | 074 | 114 | 119 | 133 | 150 | 160 | 165 | 183 | 256 | 256 | | | |
|----|-------|----------------|--|-----------|-----|-----|-----|-----|-----|-------|-------|-----------|-----------|--|--|--|
| 称高 | ッシ | サッシW | 730 780 1,185 1,235 1,370 1,540 1,640 1,690 1, | | | | | | | 1,690 | 1,870 | 2,600 | 2,600 | | | |
| | Н | 縦格子本数 横格子本数 | | 1(障子枚数:2) | | | | | | | | 2(障子枚数:2) | 1(障子枚数:4) | | | |
| 05 | 570 | 1 | | | | | | | | | | | | | | |
| 07 | 770 | 1 | | | | | | | | | | | | | | |
| 09 | 970 | | | | | | | | | | | | | | | |
| 11 | 1,170 | 2 | | | | | | | | | | | | | | |
| 13 | 1,370 | | | | | | | | | | | | | | | |
| 15 | 1,570 | 3 | | | | | | | | | | | | | | |

| | 1 | | | | | | | | | | | |
|-------------|----------|----------------|-------|-------|-------|-------|-----------|-----------|-------|--|--|--|
| | Ħ | 呼称幅 | 150 | 160 | 165 | 183 | 256 | 256 | 347 | | | |
| 呼 称 高 | ッシ | サッシW | 1,540 | 1,640 | 1,690 | 1,870 | 2,600 | 2,600 | 3,510 | | | |
| | Н | 縦格子本数 横格子本数 | | 1(障子村 | 섯数:2) | | 2(障子枚数:2) | 1(障子枚数:4) | | | | |
| 18 | 1,830 | 3 | | | | | | | | | | |
| 20 | 2,030 | 4 | | | | | | | | | | |
| 22 | 22 2,230 | 7 | | | | | | | | | | |

<縦すべり出し窓>

| | 呼称幅 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・ | | 026 | 036 046 060 069 074 | | | | | | | | |
|-------------|---|----------------|-----|---------------------|-----|-----|-----|-----|--|--|--|--|
| 呼 称 高 | ッシ | サッシW | 300 | 400 | 500 | 640 | 730 | 780 | | | | |
| | Н | 縦格子本数 横格子本数 | 0 | | | 1 | | | | | | |
| 05 | 570 | 1 | | | | | | | | | | |
| 07 | 770 | 1 | | | | | | | | | | |
| 09 | 970 | | | | | | 1 | | | | | |
| 11 | 1,170 | 2 | | | | | | | | | | |
| 13 | 1,370 | | | | | | | | | | | |
| 15 | 1,570 | 3 | | | | | | | | | | |
| 18 | 1,870 | 3 | | | | | | | | | | |
| 20 | 2,070 | 4 | | | | | | | | | | |
| 22 | | | | | | | | | | | | |

<横すべり出し窓>

| | Ħ | 呼称幅 | 026 | 036 | 046 | 060 | 069 | 074 | 119 | 165 |
|-----|-----|----------------|-----|-----|-----|-----|-----|-----|-------|-------|
| 称高 | ッシ | サッシW | 300 | 405 | 500 | 640 | 730 | 780 | 1,235 | 1,690 |
| | Н | 縦格子本数 横格子本数 | 0 | | | 1 | | | 2 | 3 |
| 023 | 300 | 0 | | | [| | | | | |
| 033 | 405 | | | | | | | | | |
| 043 | 500 | 1 | | | [| | | | | |
| 05 | 570 | | | | l | | | | | |
| 07 | 770 | | | | | | | | | |
| 09 | 970 | 2 | | | | | | | | |

ワイドタイプ-④

| 呼 | Ħ | 呼称幅 | 021 | 026 | 036 | 046 | 060 | 069 | 074 | 119 | 160 | 165 |
|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|-------|-------|-------|
| 称高 | ッシ | サッシW | 250 | 300 | 400 | 500 | 640 | 730 | 780 | 1,235 | 1,640 | 1,690 |
| | Н | 縦格子本数 | 0 | | | | 1 | | | 2 | | 3 |
| | | 横格子本数 | | | | | | | | | | |
| 018 | 250 | 0 | | | | | | | | | | |
| 023 | 300 | | | | | | | | | | | |
| 033 | 400 | | | | | | | | | | | |
| 043 | 500 | 1 | | | | | | | | | | |
| 05 | 570 | | | | | | _ | | | | | |
| 07 | 770 | | | | | | | | | | | |
| 09 | 970 | | | | | | 7 | | | | | |
| 11 | 1,170 | 2 | | | | | | | | | | |
| 13 | 1370 | | | | | | | | | | | |
| 15 | 1,570 | 3 | | | | | | | | | | |
| 18 | 1,870 | _ | Н | | | | | | | | | |
| 20 | 2,070 | 4 | | | | | | | | | | |
| 22 | 2,270 | 4 | | | | | | | | | | |

| | ++ | 呼称幅 | 046 | 060 | 069 | 074 |
|-------|-------|-------|-----|-----|-----|-----|
| 呼 称 高 | サッシ | サッシW | 500 | 640 | 730 | 780 |
| | Н | 縦格子本数 | | | 1 | |
| | | 横格子本数 | | | L | |
| 09 | 970 | | | | | |
| 11 | 1,170 | 1 | | | _ | |
| 13 | 1,370 | | | | | |

<上げ下げ窓>